

MATCHLINE SEE SHEET 11



INSTALL VERTICAL INFILTRATION TRENCH (TYP)

INSTALL VERTICAL INFILTRATION TRENCH (TYP)


CONSTRUCT HEAVY DUTY INFILTRATION TRENCH (TYP)

MATCHLINE SEE SHEET 11

MATCHLINE SEE SHEET 13

NOTE TO RESIDENTS:

- SOLID AREAS IN FRONT OF EACH LOT REPRESENT FINAL PROPOSED INFILTRATION SYSTEMS.
- TRENCH WIDTHS SHALL BE 4' WIDE EXCEPT AT DRAINAGE STRUCTURES AND OTHER AREAS SPECIFICALLY DEPICTED AND NOTED ON PLAN.
- CONSTRUCTION WILL COMMENCE IN JANUARY AND WILL LAST 3-4 DAYS ON EACH STREET.
- FOR QUESTIONS OR CONCERNS, PLEASE CONTACT THE CITY ENGINEER LYNN BURNETT AT LYNN@LTAENGINEERS.COM OR DIRECTLY AT 941-756-9100
- ALL PIPES ON 68TH STREET AND 69TH STREET SHALL BE CLEANED AND FLUSHED.
- CONTRACTOR SHALL INVESTIGATE POTENTIAL PIPE FAILURE BETWEEN 515 AND 517 68TH STREET.



LEGEND

- PROPOSED VERTICAL INFILTRATION TRENCH
- PROPOSED 15" HDPE PIPE
- PROPOSED TYPE 'C' GRATE INLET
- PLANTING ENHANCEMENT
- EXISTING MAJOR CONTOUR
- EXISTING MINOR CONTOUR
- BASIN LIMITS
- SUB-BASIN LINE (POST DEVELOPMENT)
- SUB-BASIN NAME (POST DEVELOPMENT)
- EXISTING SANITARY SEWER MANHOLE
- EXISTING WATER MAIN
- EXISTING SANITARY SEWER MAIN
- EXISTING FORCE MAIN
- EXISTING RIGHT OF WAY LINE

CADD File: 413 - Drainage Plans_UPDATED
 Date: 3/31/2015
 SCALE: SEE SCALE
 Design By: LB
 Drawn By: LTB
 Checked By: LTB
 Project No.: 41312015

2004 53rd Avenue East
 Bradenton, FL 34203
 Phone 941.756.9100
 Fax 941.756.9119

LTA ENGINEERS, LLC
 Civil Engineers & Land Planners

This document, together with the herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. It is not to be used for any other purpose without the written authorization and adaptation of LTA Engineers, LLC. Public entities are exempt from this copyright.

NO.	REVISION	DATE	BY
1	REVISED PER NEIGHBORHOOD WORKSHOPS	11/20/15	LB

CITY OF HOLMES BEACH CAP. IMPR. PROGRAM BASINS 12 AND 13
 SEC 17-20, TWP 34S, RING 16E, CITY OF HOLMES BEACH,
 DRAINAGE PLAN SHEET 8

Lynn Townsend Burnett, PE
 Florida Certificate No. 53226
 C. A. No. 29044
 Date:

100% PLAN
 SET APPROVED
 FOR
 CONSTRUCTION

12
 OF: 17